

NSB

Series	Web Model	Rod length	Power	Action	Line weight	Lure weight	Product Weight OZ	Tip Diamet erMM	Tip Top Size	Butt Diameter MM	Butt Diameter IN
NSB	66MLF	6'6"	ML	Fast	4-10lb	1/8 - 3/8oz	1.56	1.83	5	12.02	0.473
NSB	66MF	6'6"	M	Fast	6-12lb	1/4-5/8oz	1.73	1.96	5	12.73	0.501
NSB	66MHF	6'6"	MH	Fast	8-17lb	3/8-1oz	2.05	2.33	6	12.85	0.506
NSB	66HF	6'6"	H	Fast	12-25lb	3/8-1 1/2oz	2.82	2.92	7	13.3	0.524
NSB	70MLF	7'0"	ML	Fast	4-10lb	1/8-3/8oz	1.69	1.77	4.5	12.87	0.507
NSB	70MLM	7'0"	ML	Moderate	4-10lb	1/8-3/8oz	1.42	1.92	5	10.82	0.425
NSB	70MM	7'0"	M	Moderate	6-15lb	1/4-3/4oz	1.89	1.8	5	11.4	0.447
NSB	70MMF	7'0"	M	Mod Fast	6-15lb	1/4-5/8oz	2.2	1.69	4.5	13.28	0.523
NSB	70MF	7'0"	M	Fast	6-12lb	1/4-5/8oz	1.98	2.28	5.5	12.86	0.506
NSB	70MHM	7'0"	MH	Moderate	10-20lb	3/8-1oz	2.76	1.99	5	13.11	0.516
NSB	70MHF	7'0"	MH	Fast	8-20lb	3/8-1oz	2.28	2.31	6	13.02	0.513
NSB	70HF	7'0"	H	Fast	12-25lb	1/2-1 1/2oz	3.03	2.74	6.5	13.57	0.534
NSB	70XHF	7'0"	XH	Fast	20-40lb	3-8oz	3.67	2.77	7	13.82	0.544
NSB	76MLF	7'6"	ML	Fast	4-10lb	1/8 - 3/8oz	1.96	2.03	5.5	12.92	0.509
NSB	76MF	7'6"	M	Fast	8-14lb	1/4-5/8oz	2.57	2.18	5.5	13.36	0.526
NSB	76MM	7'6"	M	Moderate	6-14lb	1/4-3/4oz	1.96	1.96	5	11.46	0.451
NSB	76MHM	7'6"	MH	Moderate	10-20lb	3/8-1oz	3.01	2.04	5.5	13.67	0.538
NSB	76MHF	7'6"	MH	Fast	10-20lb	3/8-1oz	2.71	2.360	6	13.39	0.527
NSB	76HM	7'6"	H	Moderate	15-30lb	1/2-2oz	3.49	2.15	5.5	13.84	0.545
NSB	76HF	7'6"	H	Fast	12-25lb	1/2-1 1/2oz	3.05	2.56	6.5	13.62	0.536
NSB	76XHF	7'6"	XH	Fast	20-80lb	2-5oz	3.44	2.84	7.5	13.95	0.549
NSB	711HMF	7'11"	H	Mod-Fast	14-30lb	1/2-2oz	3.6	2.74	7	14.14	0.557
NSB	711XHF	7'11"	XH	Fast	20-40lb	3-8oz	4.58	2.78	7.5	14.91	0.587

HTD

Series	Web Model	Rod length	Power	Action	Line weight	Lure weight	Product Weight OZ	Tip Diameter MM	Tip Top Size	Butt Diameter MM	Butt Diameter IN
HTD	63MXF	6'3"	M	Xtra Fast	4-10lb	1/8 - 3/8oz	1.22	1.45	4	12.08	0.476
HTD	66LM	6'6"	Light	Moderate	4-8lb	1/16-3/8oz	1.18	1.52	4	8.3	0.326
HTD	66MLF	6'6"	ML	Fast	4-10lb	1/8 - 3/8oz	1.2	1.68	4.5	11.57	0.456
HTD	66MF	6'6"	M	Fast	6-12lb	1/4-5/8oz	1.36	1.68	4.5	12.24	0.482
HTD	66MHF	6'6"	MH	Fast	8-17lb	3/8-1oz	1.55	1.80	5	12.02	0.473
HTD	66HF	6'6"	H	Fast	12-25lb	3/8-1 1/2oz	2.11	2.16	5.5	12.32	0.485
HTD	610MLXF	6'10"	ML	Xtra Fast	4-10lb	1/8 - 3/8oz	1.27	1.51	4	12.43	0.489
HTD	70MLF	7'0"	ML	Fast	4-10lb	1/8-3/8oz	1.56	1.60	4	12.53	0.493
HTD	70MLM	7'0"	ML	Moderate	4-10lb	1/8-3/8oz	1.22	1.75	4.5	10.67	0.416
HTD	70MM	7'0"	M	Moderate	6-14lb	1/4-3/4oz	1.54	1.57	4.5	10.75	0.425
HTD	70MMF	7'0"	M	Mod-Fast	8-15lb	1/4-5/8oz	2.1	1.51	4	11.75	0.46
HTD	70MF	7'0"	M	Fast	6-12lb	1/4-5/8oz	1.59	1.78	4.5	12.45	0.49
HTD	70MHF	7'0"	MH	Fast	8-20lb	3/8-1oz	1.79	1.68	4.5	12.6	0.496
HTD	70HF	7'0"	H	Fast	12-25lb	1/2-1 1/2oz	2.31	2.13	5.5	12.8	0.504
HTD	70XHF	7'0"	XH	Fast	20-40lb	3-8oz	3.07	2.52	6.5	13.37	0.526
HTD	73MLXS	7'3"	ML	tra Sensitive	4-10lb	1/8 - 3/8oz	1.4	1.39	4	12.4	0.497
HTD	73MXS	7'3"	M	tra Sensitive	6-12lb	1/4-5/8oz	1.58	1.50	4	12.52	0.493
HTD	73MHXS	7'3"	MH	tra Sensitive	10-20lb	3/8-1oz	1.9	1.65	4.5	12.77	0.503
HTD	76MLF	7'6"	ML	Fast	4-10lb	1/8 - 3/8oz	1.78	1.73	4.5	12.66	0.498
HTD	76MM	7'6"	M	Moderate	6-14lb	1/4-3/4oz	1.69	1.88	5	11.52	0.454
HTD	76MF	7'6"	M	Fast	8-14lb	1/4-5/8oz	1.74	1.68	4.5	12.76	0.502
HTD	76MHXF	7'6"	MH	Extra Fast	10-20lb	3/8-1oz	2.25	1.43	4	12.9	0.508
HTD	76MHF	7'6"	MH	Fast	10-20lb	3/8-1oz	1.97	1.75	4.5	13.05	0.514
HTD	76HXF	7'6"	H	Extra Fast	12-25lb	1/2-1 1/4oz	3.17	1.30	4	13.66	0.537
HTD	76HF	7'6"	H	Fast	12-25lb	1/2-1 1/2oz	1.93	1.70	4.5	13.27	0.522
HTD	711HMF	7'11"	H	Mod-Fast	14-30lb	1/2-2oz	2.54	2.22	6	13.46	0.53
HTD	711XHF	7'11"	XH	Fast	20-40lb	3-8oz	3.87	2.60	7	14.41	0.567

NSB INSHORE

Series	Web Model	Rod length	Power	Action	Line weight	Lure weight	Product Weight OZ	Tip DiameterMM	Tip Top Size	Butt Diameter MM	Butt Diameter IN
NSB Inshore	66MLF	6'6"	ML	Fast	6-10lb	1/8 - 3/8oz	1.7	1.77	4.5	12.31	0.485
NSB Inshore	66MF	6'6"	M	Fast	8-12lb	1/4-5/8oz	1.81	2.22	6	12.75	0.502
NSB Inshore	66MHF	6'6"	MH	Fast	10-17lb	3/8-1oz	2.17	2.14	5.5	12.86	0.506
NSB Inshore	66HF	6'6"	H	Fast	12-25lb	3/8-1 1/2oz	2.74	2.8	7	13.17	0.519
NSB Inshore	70MLM	7'0"	ML	Moderate	6-10lb	1/8 - 3/8oz	1.82	1.72	4.5	11.42	0.451
NSB Inshore	70MLF	7'0"	ML	Fast	6-14lb	1/8-1/2oz	1.87	1.84	5	12.88	0.507
NSB Inshore	70MLXF	7'0"	ML	Extra Fast	6-14lb	1/8-3/8oz	1.78	1.4	4	12.9	0.508
NSB Inshore	70MMF	7'0"	M	Mod Fast	6-16lb	1/4-3/4oz	1.86	1.47	4	12.94	0.509
NSB Inshore	70MF	7'0"	M	Fast	8-18lb	3/8 - 3/4oz	2.05	2.04	5.5	12.82	0.505
NSB Inshore	70MXF	7'0"	M	Extra Fast	8-20lb	3/8 - 1oz	2.25	1.4	4	13.14	0.517
NSB Inshore	70MHF	7'0"	MH	Fast	12-20lb	1/2 - 1 1/4oz	2.46	2.29	6	13.28	0.523
NSB Inshore	70HF	7'0"	H	Fast	15-30lb	3/4-2oz	3.11	2.72	6.5	13.52	0.532
NSB Inshore	76MLF	7'6"	ML	Fast	6-14lb	1/8-1/2oz	2.03	1.94	5	13	0.512
NSB Inshore	76MMF	7'6"	M	Mod Fast	8-18lb	3/8 - 3/4oz	2.6	1.69	4.5	13.76	0.542
NSB Inshore	76MF	7'6"	M	Fast	8-18lb	3/8 - 3/4oz	2.38	2.08	5.5	13.06	0.514
NSB Inshore	76MHF	7'6"	MH	Fast	12-20lb	1/2 - 1 1/4oz	3.18	2.63	7	13.62	0.536
NSB Inshore	711XHF	7'11"	XH	Fast	15-40lb	3/4-5oz	4.58	2.49	6.5	13.38	0.523
NSB Inshore	711XXHF	7'11"	XXH	Fast	20-50lb	1-5oz	4.49	2.37	6	15.87	0.623

Forge Glass Blanks

Series	Web Model	Rod length	Power	Action	Line weight	Sinker Weight	Product Weight OZ	Tip Diameter MM	Tip Top Size	Butt Diameter MM	Butt Diameter IN
FG	800	7'11"	0	Moderate	6-15lb	3/4-2oz	4.5	2.47	6.5	16.75	0.65
FG	801	7'11"	1	Moderate	10-20lb	1-5oz	5.48	3.3	8.5	17.11	0.67
FG	802	7'11"	2	Moderate	15-25lb	2-8oz	5.76	3.3	8.5	17.25	0.677
FG	803	7'11"	3	Moderate	17-30lb	3-10oz	6.67	3.45	8.5	17.9	0.705
FG	804	7'11"	4	Moderate	20-40lb	4-12oz	7.78	3.62	9	18.38	0.723
FG	805	7'11"	5	Moderate	25-60lb	8-20oz	8.55	3.89	10	18.72	0.737
FG	806	7'11"	6	Moderate	40-80lb	10-36oz	10.03	4.29	11	19.13	0.753

Forge Composites Blanks

Series	Web Model	Rod length	Power	Action	Line weight	Sinker weight	Product Weight OZ	Tip Diameter MM	Tip Top Size	Butt Diameter MM	Butt Diameter IN
FC	730	7'3"	0	Mod Fast	6-15lb	3/4-2oz	3.1	1.82	5	14.89	0.585
FC	731	7'3"	1	Mod Fast	10-20lb	1-5oz	3.65	1.98	5	15.31	0.602
FC	732	7'3"	2	Mod Fast	15-25lb	2-8oz	3.99	2.32	6	15.52	0.611
FC	733	7'3"	3	Mod Fast	17-30lb	3-10oz	4.46	2.55	6.5	16.27	0.647
FC	734	7'3"	4	Mod Fast	20-40lb	4-12oz	5.51	2.85	7.5	17.53	0.69
FC	735	7'3"	5	Mod Fast	25-60lb	8-20oz	6.34	3.09	8	17.84	0.702
FC	736	7'3"	6	Mod Fast	40-80lb	10-36oz	7.66	3.34	9	18.54	0.73
FC	800	7'11"	0	Mod Fast	6-15lb	3/4-2oz	4.08	2	5.5	15.67	0.617
FC	801	7'11"	1	Mod Fast	10-20lb	1-5oz	4.97	2.08	5.5	16.3	0.642
FC	802	7'11"	2	Mod Fast	15-25lb	2-8oz	5.09	2.64	7	16.3	0.642
FC	803	7'11"	3	Mod Fast	17-30lb	3-10oz	5.19	2.67	7	17.52	0.69
FC	804	7'11"	4	Mod Fast	20-40lb	4-12oz	6.06	3.02	7.5	17.8	0.7
FC	805	7'11"	5	Mod Fast	25-60lb	8-20oz	7.01	3.17	8	18.26	0.719
FC	806	7'11"	6	Mod Fast	40-80lb	10-36oz	7.97	3.4	9	18.38	0.724

Forge Light and Ultralight

Series	Web Model	Rod length	Power	Action	Line weight	Lure weight	Product Weight OZ	Tip DiameterMM	Tip Top Size	Butt Diameter MM	Butt Diameter IN
Ultralight	50ULM	5'	UL	M	2-6lb	1/32-3/16oz	0.65	1.4	4	6.94	0.272
Ultralight	56ULM	5'6"	UL	M	2-6lb	1/32-3/16oz	0.83	1.54	4	7.4	0.292
Ultralight	60ULM	6'	UL	M	2-6lb	1/32-3/16oz	1.18	1.4	4	8.29	0.325
Ultralight	69ULM	6'9"	UL	M	2-6lb	1/32-3/16oz	1.37	1.44	4	8.58	0.344
Ultralight	70ULM	7'	UL	M	2-6lb	1/32-3/16oz	1.32	1.4	4	8.75	0.345
Light	63LM	6'3"	L	M	4-8lb	1/16-3/8oz	1.23	1.5	4	8.3	0.327
Light	69LM	6'9"	L	M	4-8lb	1/16-3/8oz	1.45	1.6	4	8.32	0.327
Light	73LM	7'3"	L	M	4-8lb	1/16-3/8oz	1.76	1.54	4	9.15	0.36